



ACME Time Machine Technical Rider

Current as of August 22, 2026

Contact:

Ronnie Po

ronnie@AcmeTimeMachine.com

(626) 389-8115 (text or call)



General Overview

Performance Type:

3-Piece Rock Band – Retro Rock ‘N’ Roll

Members:

- Ronnie Po – Guitar, Lead Vocal
- Jonas Creason – Bass, Vocal
- Bryan Panzeri – Drums, Vocal

Monitoring:

The band carries a self-contained, fully wireless IEM rack. We request one monitor wedge as a backup in case of wireless issues.

Band IEM Rack Specifications

The band will bring a rack containing our own monitoring and splitting system.

Wireless Frequency:

G20 Band (488MHz-512MHz)

Inputs:

All instruments and microphones will be patched into our rack first.

Splits:

Our rack will split all signals to feed both our IEM mixer and the venue’s FOH mixer.

Outputs:

We will provide a 16-channel XLR fanout snake from our rack, with tagged and labeled outputs, to feed the venue’s mixer or stage box.

www.AcmeTimeMachine.com

Contact: Ronnie@AcmeTimeMachine.com • (626) 389-8115

Equipment


BROUGHT BY BAND	SUPPLIED BY VENUE
IEM Rig - XLR splitter with front panel inputs and snake fanout outputs to FOH - Wireless G20 Band (488MHz-512MHz) Guitar / Lead Vocal - Ronnie Po - electric guitar - guitar amp modeler (Fender Tone Master Pro) with two line-level XLR outputs (L, R) - vocal mic (Shure Beta 58) Bass / Vocal – Jonas Creason - electric bass - Amp modeler pre-amp with XLR line output Drums / Vocal - Bryan Panzeri - 4 piece drum kit (kick, snare, 2 toms) - Hi-hat, ride cymbal, 2 crash cymbals	Riser / Lighting / Power - Stage riser for drums (if applicable) - General stage lighting - 7 power outlets (120V - 60Hz), 2 per musician + IEM rig PA System A professional sound reinforcement system that is appropriate for the event audience and venue, with adequate subwoofer capability for bass direct input. Mics / Stands - 2 vocal mics – Shure SM58 or Beta 58 or equivalent - all drum mics - all microphone stands - all XLR cables Video Wall (if available) - mechanism to display band logo behind, next to, or on stage

Input List

#	Source	Type	Band Requires	FOH Requires
1	Kick Drum	Dynamic mic	Yes	Yes
2	Snare	Dynamic mic	Yes	Yes
3	Hi hat	Condenser mic	Yes	Yes
4	Overhead L	Condenser mic	Yes	Yes
5	Overhead R	Condenser mic	Yes	Yes
6	Rack tom	Dynamic mic	Yes	Yes
7	Floor tom	Dynamic mic	Yes	Yes
8	(extra)			
9	Vox 1 (lead) – Ronnie	Shure Beta 58	Yes	Yes
10	Vox 2 – Jonas	Shure SM58	Yes	Yes
11	Vox 3 – Bryan	Shure SM58	Yes	Yes
12	Bass - modeling amp	XLR line	Yes	Yes
13	Guitar L – modeling amp	XLR line	Yes	Yes
14	Guitar R – modeling amp	XLR line	Yes	Yes
15	Ambience/audience Stage left	Condenser mic	Yes	No
16	Ambience/audience Stage right	Condenser mic	Yes	No

IEM Rack Inputs:

XLR splitter with labeled channel inputs to receive audio from source



IEM Rack Outputs to FOH:


Male XLR snake tail with tagged and labeled cable ends to send audio from splitter to FOH





ACME Time Machine

Retro Rock 'N' Roll • '50s, '60s & Beyond



www.AcmeTimeMachine.com

Contact: Ronnie@AcmeTimeMachine.com